

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A computer chassis apparatus comprising:
a chassis frame comprising a set of load-bearing rails located on the edge of the frame
having a load-bearing surface; and
a plurality of protrusions formed on the load-bearing rails and adapted to support a
chassis cover mounted to the chassis frame over the protrusions and to
laterally secure a removable structure to the chassis frame in at least two
directions by coupling the protrusions with portions of the structure formed to
be secured thereover
~~on the load-bearing surface protruding upwardly from the load-bearing surface and~~
~~configured to support a chassis cover installed on the chassis frame; and~~
~~a removable structure adapted to be installed within the computer chassis and~~
~~configured to house at least one computer component, the removable structure~~
~~configured to fit over at least some of the protrusions of the chassis frame and~~
~~be secured laterally thereby.~~
2. (Original) The apparatus of claim 1, wherein the chassis frame is for a small form factor computer.
3. (Cancelled)
4. (Previously Presented) The apparatus of claim 1, wherein each protrusion has a flat top surface to support the chassis cover.
5. (Currently Amended) The apparatus of claim 1, wherein each protrusion is formed integrally into ~~the~~ a load-bearing rail of surface ~~on~~ the computer chassis frame.
6. (Currently Amended) The apparatus of claim 1, wherein each protrusion is mounted to ~~the~~ a load-bearing rail surface of the computer chassis frame.

7-8. (Cancelled)

9. (Currently amended) The apparatus of claim 1, wherein the removable structure is configured to house at least one computer component ~~receives the protrusions of the chassis frame to secure the removable structure thereon.~~

10. (Currently amended) The apparatus of claim 1, wherein the portions of the structure comprise ~~removable structure includes corresponding~~ protrusions corresponding to the ~~configured to fit over the~~ protrusions of the chassis frame.

11-12. (Cancelled)

13. (Currently Amended) A computer chassis comprising:
a computer chassis frame;
a chassis cover for fitting over the computer chassis frame;
means for supporting the chassis cover when fitted over the computer chassis frame;
and
a removable structure adapted to be installed within the computer chassis frame and configured to house at least one computer component, the removable structure configured to be secured fit over the means for supporting the chassis cover thereby securing the removable structure to the computer chassis frame in at least two directions.

14. (Currently Amended) A computer chassis apparatus comprising:
a computer chassis frame for a form factor computer comprising at least two upward facing surfaces;
a plurality of oblong rounded domes formed into the upward facing surfaces of the computer chassis frame and distributed evenly along the surfaces and positioned to support a chassis cover for the computer chassis frame; and
a removable drive frame for supporting a plurality of drives of different sizes adapted to be installed within the computer chassis, the removable drive frame

comprising interface structures corresponding to each rounded dome, each interface structure configured to be secured ~~fit~~ over each rounded dome, thereby laterally securing the removable structure to the chassis frame in at least two directions.

15. (Cancelled)